
Applicants : Greg D. May et al.

Docket No. : NAPRO-3

For : CELL-FREE ASSAY FOR PLANT GENE TARGETING AND CONVERSION Sheet 1 of 6



ACSELTE CHECIE

Sheet 2 of 6

TGC GCGuggacugaggACTCCucuucagacgT TCGCGC ACCIGACTCCIGAGGAGAAGTCIGCI SCI TGCGCGaaggcugucgTAGCGgucagugauaT TCGCGC TTCCCACAGCATCGCCAGTCACTATT 3'5' Wild-type: GACAGCATCGCCAGT ----V-----Tet∆208C  $pT^{\,S}\,\Delta\,208$ 4362 bp #208 Converted: Mutant:




Fig. 2


idosek/s.ossocs

Applicants : Greg D. May et al.

Docket No. : NAPRO-3

For : CELL-FREE ASSAY FOR PLANT GENE TARGETING AND CONVERSION

Sheet 4 of 6




Wild-type: Mutant:

TTCGGCTATGACTGG

Converted:

Kan4021(-)



Kan4021C Maize


Kan4021C Musa

Kan4021C Tobacco

Kan4021C Tobacco

(4021 mix)

Fig. 3




Tet153T Musa

CAT

Tet153T Tobacco

CAT

Tet153T Tobacco (153 mix)







Fig. 4

Sheet 6 of 6



Wild-type: Mutant:

GACAGCATCGCCAGT GACAGCAT∆GCCAGT

Converted:

GACAGCATCGCCAGT

Tet∆208(-)

Tet208C Maize

Tet208C Musa

Tet208C Tobacco

Tet208C Tobacco (208 mix)

Tet208C Tobacco (214 insertion)




Fig. 5